

# NEMO

## Luminaire

Code ILI LHC 51  
Name Ilium 75 led 6W


## Measurement

Code il112018  
Name Ilium 75 led 6W

Luminaire Flux	346.04 lm	Luminaire Power	6.00 W	Efficacy	57.67 lm/W	Efficiency	100.30%
Lamps Flux	345.00 lm	Maximum value	633.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	50 mm	Height	750 mm		
Round Luminous Area		Diam.	50 mm	Height	490 mm		
Horizontal Luminous Area		0.001963 m2		Emitting area on Plane 180°		0.024500 m2	
Emitting area on Plane 0°		0.024500 m2		Emitting area on Plane 270°		0.024500 m2	
Emitting area on Plane 90°		0.024500 m2		Glare area at 76°		0.024247 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		345.00 lm	
Operator				Source Voltage [V]		230.00 V	
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line	Code Led	Luminaire Lamps Name Led	Flux [lm] 345.00	Pow. [W] 6.00	Q.ty 1
C.I.E. F UTE	16 43 72 58 100 0.59 J + 0.42 T	D DIN 5040 B NBN	C11 BZ 10 / 1.25 / BZ 9		

Diam=50mm



Semipiani C

180.0 — 0.0

ULOR 41.79 %

DLOR 58.51 %

RN 41.66 %

