

NEMO

Luminaire


Code ITW LWW 57
Name In The Wind 3000K

Measurerm.

Code ITW012019
Name In The Wind 3000K

Luminaire Flux	2850.01 lm	Luminaire Power	58.00 W	Efficacy	49.14 lm/W	Efficiency	100.00%
Lamps Flux	2850.00 lm	Maximum value	129.92 cd/klm	Position	C=180.00 G=120.00	CG	Asymmetrical
Rectangular Luminaire		Length	1830 mm	Width	190 mm	Height	190 mm
Rectangular Luminous Area		Length	1830 mm	Width	190 mm	Height	190 mm
Horizontal Luminous Area		0.347700 m2		Emitting area on Plane 180°		0.347700 m2	
Emitting area on Plane 0°		0.347700 m2		Emitting area on Plane 270°		0.036100 m2	
Emitting area on Plane 90°		0.036100 m2		Glare area at 76°		0.421488 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		2850.00 lm	
Operator				Source Voltage [V]		230.00 V	
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line		Code	Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		Led	Name	Led	2850.00	58.00	1
C.I.E.	32 57 81 50 100		D DIN 5040		C21		
F UTE	0.50 H + 0.50 T		B NBN		BZ 7 / 0.8 / BZ 6 / 1 / BZ 7		



ULOR 50.15 %
DLOR 49.85 %
RN 50.15 %

