

NEMO

Luminaire


Code TTB LWW 51
Name Tubes 3 4,2x3W susp

Measurem.

Code 3t102021
Name Tubes 3 4,2x3W susp

Luminaire Flux	562.19 lm	Luminaire Power	12.60 W	Efficacy	44.62 lm/W	Efficiency	100.21%
Lamps Flux	561.00 lm	Maximum value	450.40 cd/klm	Position	C=105.00 G=5.00	CG	Asymmetrical
Rectangular Luminaire		Length	200 mm	Width	240 mm	Height	490 mm
Rectangular Luminous Area		Length	54 mm	Width	54 mm	Height	0 mm
Horizontal Luminous Area		0.002916 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.000705 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		561.00 lm	
Operator				Source Voltage [V]			
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line	Code	Luminaire Lamps	Flux [lm]	Pow. [W]	Q.ty
led	Name	led	561.00	12.60	1
C.I.E.	53 83 97 100 100	D DIN 5040	A40		
F UTE	1.00 D	B NBN	BZ 4		



ULOR 0.12 %
DLOR100.09 %
RN 0.12 %

