

NEMO

Luminaire

Code UNT LNN 22
Name Untitled Spot led 5W


Measurement

Code us042022
Name Untitled Spot led 5W

Luminaire Flux	469 lm	Luminaire Power	5.0 W	Efficacy	93.749 lm/W	Efficiency	118.67%
Source Flux	395 lm	Maximum value	3368.08 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	45 mm	Height	80 mm		
Round Luminous Area		Diam.	27 mm	Height	1 mm		
Horizontal Luminous Area		0.000573 m2		Emitting area on Plane 180°		0.000027 m2	
Emitting area on Plane 0°		0.000027 m2		Emitting area on Plane 270°		0.000027 m2	
Emitting area on Plane 90°		0.000027 m2		Glare area at 76°		0.000165 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		27-01-2000		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		395 lm	
Operator				Rated Voltage			
Temperature				Rated Current			
Humidity				Photocell			
Notes							

Luminaire Sources						
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty	
	Led	Led	395.00	5.00	1	
C.I.E.	93 98 100 100 119	D DIN 5040	A60			
F UTE	1.19 A	B NBN	BZ 1			

Diam=45mm



C Halfplanes

180.0 — 0.0

ULOR 0.00 %

DLOR 118.67 %

RN 0.00 %

