

NEMO

Luminaire

Code VII LWW 32
Name Viiva 60 Led 20W


Measurem.

Code VI60032019
Name Viiva 60 Led 20W

Luminaire Flux	2402.85 lm	Luminaire Power	20.00 W	Efficacy	120.14 lm/W	Efficiency	100.12%
Lamps Flux	2400.00 lm	Maximum value	191.40 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	100 mm	Width	600 mm	Height	100 mm
Rectangular Luminous Area		Length	75 mm	Width	600 mm	Height	0 mm
Horizontal Luminous Area		0.045000 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.010886 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		2400.00 lm	
Operator				Source Voltage [V]		230.00 V	
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line	Code	Luminaire Lamps	Flux [lm]	Pow. [W]	Q.ty
	Led	Name	2400.00	20.00	1
	Led	Led			
C.I.E.	52 86 98 49 100	D DIN 5040	C42		
F UTE	0.49 D + 0.51 T	B NBN	BZ 4		

100mm x 600mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 51.25 %

DLOR 48.87 %

RN 51.19 %

