

NEMO

Luminaire

Code VII LWW 33
Name Viiva 120 Led 32W


Measurem.

Code VI102032019
Name Viiva 120 Led 32W

Luminaire Flux	3804.51 lm	Luminaire Power	32.00 W	Efficacy	118.89 lm/W	Efficiency	100.12%
Lamps Flux	3800.00 lm	Maximum value	191.40 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	100 mm	Width	1020 mm	Height	100 mm
Rectangular Luminous Area		Length	75 mm	Width	1020 mm	Height	0 mm
Horizontal Luminous Area		0.076500 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.018507 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3800.00 lm	
Operator				Source Voltage [V]		230.00 V	
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line	Code Led	Luminaire Lamps Name Led	Flux [lm] 3800.00	Pow. [W] 32.00	Q.ty 1
C.I.E. F UTE	52 86 98 49 100 0.49 D + 0.51 T	D DIN 5040 B NBN	C42 BZ 4		

100mm x 1020mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 51.25 %

DLOR 48.87 %

RN 51.19 %

