ZENA PLUS

Roberto Paoli

The clean silhouette of Zena is the result of a rigorous research of geometrical design that leds to the conception of an essential and powerful artefact featuring significant lighting performances. The PLUS version includes a track that can host up to two adjustable spots. Zena represents a revolution in the world of wall lamps, a contemporary experiment that transforms the wall lamp from a traditionally static object into a dynamic and sophisticated element, an important synthesis of lightness, power and comfort. Zena features recyclable aluminium extrusions available in matt white and matt black. Optional spotlights in the PLUS version.



LINEAR+TRACK | 2700K

LAMPING


Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Notes


LED	board
8W	
diffus	sed
TRIA	C
230\	/
2700	ЭК
900	
90	
spotı	not included, to be ordered separately

Structure

white

black





Codes

ZEN LW2 32 ZEN LN2 32

Certificazioni



2,5

I.

LINEAR+TRACK | 3000K

LAMPING


Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Notes


LED board	
8W	
diffused	
TRIAC	
230V	
3000K	
900	
90	
spot not included, to be ordered separat	ely

Structure

white

black





Codes

ZEN LWW 32 ZEN LNW 32

Certificazioni





1

SPOT | 2700K

LAMPING

Source	LED
Total power	3W
Emission	38°
Switching	TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	150lm
Typ CRI	90
Dimensions	ø2,5x3,5
Notes	max 2 spot per track, orientable





Codes

ZEN LW2 81 ZEN LN2 81

Certificazioni

Structure white

black


2,5


1


SPOT | 3000K

LAMPING

Source	LED
Total power	ЗW
Emission	38°
Switching	TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	150lm
Typ CRI	90
Dimensions	ø2,5x3,5
Notes	max 2 spo







31

ZEN LWW 81 ZEN LNW 81

Codes

Certificazioni

ax 2 spot per track, orientable

Structure

white

black